Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





HARDY PERENNIALS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON NEW JERSEY

SPRING 1924

INTRODUCTION.

Few developments have been more important in recent years, to the horticultural trade, than that of Hardy Herbaceous Plants. Their adaptability to various forms of garden decoration, their great variety in color, height, time of flowering and value for cutting present a new conception of the beautiful and practical; and they have attained recognition as an indespensable element in every well ordered garden.

Having confidence in their great and ever widening popularity, we are devoting ourselves exclusively to their propagation and culture. Our business is entirely wholesale and we solicit inquiries from all branches of the trade. By careful attention to every detail we give you absolute assurance of satisfaction, no matter how exacting your requirements may be.

The descriptions in this catalogue are taken from plants when in flower and great pains have been taken to make them accurate and dependable..

TERMS

Accounts are due in thirty days; cash or satisfactory references are required from unknown correspondents.

Prices in this catalogue include packing.

HARDY PERENNIALS

| | Per Doz | Per 100 |
|--|---------------------|---|
| ACANTHUS mollis. A plant of imposing appearance, | | |
| having large, handsome, dark green leaves and bearing purple and white flowers on stout stems | | |
| 2 ft. July-August. | \$2.00 | |
| ACHILLEA | C | |
| filipendulina. A strong growing plant with fern-like foliage, bearing large tlat heads of yellow | | |
| flowers. 4 ft. July-August. | 2.00 | 12.00 |
| Ptarmica Boule de Niege. This and the following | | |
| variety are among the most useful of hardy | | |
| plants for cutting. If they are cut hard back after the first flowers are past, a second crop | | |
| will be produced in early fall. Sprays of small | | |
| double white flowers. 12 to 18 inches. | 1 50 | 10.00 |
| June-September " The Pearl. White. 2 ft. June-September. | $\frac{1.50}{1.50}$ | $\begin{array}{c} 10.00 \\ 10.00 \end{array}$ |
| tomentosa. A dwarf rock plant with heads of yellow | 1.00 | 10.00 |
| flowers. 6 inches. June. | 1.50 | 10.00 |
| grandiflorum. A dainty and beautiful rock plant. It | | |
| forms a compact bush and is covered in July | | |
| with pink flowers borne in racemes. Requires | 2.50 | |
| a well drained position in full sun. 1 ft. pulchellum. A many branched plant of trailing habit; | 2.30 | |
| each branch terminating in a dense cluster of | | |
| rosy pink flowers. May-June. | 2.50 | |
| coronaria. Bright crimson flowers and gray woolly | | |
| foliage making a pleasing contrast. 2 ft. | | |
| June-July. "alba. A white variety of the preceding. | $\frac{1.25}{1.25}$ | $\frac{8.00}{8.00}$ |
| AJUGA genevensis. Short spikes of intense blue flowers. | 1.20 | 0.00 |
| A good rock plant. 6 inches. June. | 1.50 | 10.00 |
| ALYSSUM argenteum. Large flat heads of golden yellow flowers | 1.50 | 10.00 |
| borne on short wiry stems. 9 in. April-May | 1.50 | 10.00 |
| saxatile citrinum. A rare sulphur colored variety of | 0.50 | 15.00 |
| the well known Gold Dust. saxatile compactum. (Gold Dust) Masses of yellow | 2.50 | 15.00 |
| flowers in April and May. 1 foot. ANDROSACE Chumbyi. Compact rosettes of woolly | 1.25 | 8.00 |
| | | |
| leaves and umbels of dainty pink flowers. A choice plant for the rock garden. 6 inches. | | |
| May. | 2.50 | |
| ANEMONE Pulsatilla. Large cup shaped flowers covered on the | | |
| outside with silky hairs, borne singly on stems | | |
| 1 foot high Violet-Purple. April-May. | 2.00 | 12.00 |
| " rubra. A new and rare form of the preceding. | 2.50 | 15.00 |
| | | |

| | Per Doz. | Per 100 |
|---|----------|---------|
| ANTHEMIS tinctoria Kelwavi. Bright yellow Marguer- ite-like flowers in great profusion. Good for cutting. 2 ft. June September. | 1.25 | 8.00 |
| AQUILEGIA chrysantha. A tall and beautiful species, bearing soft yellow flowers. 3 it. May-June. | 1.50 | 10.00 |
| coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June. | 1.50 | 10.00 |
| hybrids. 2-3 ft. May-June. Mrs. Scott Elliott's Strain. An excellent strain bearing | 1.50 | 10.00 |
| flowers of many rich and varied colors. 2-3 ft. May-June. | 1.50 | 10.00 |
| nivea grandiflora. Large pure white flowers; robust habit. 2½ ft. May-June. | 1.25 | 8.00 |
| ARABIS alpina. A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. White. 9 inches. April-May. "fl. pl. A doubled flowered variety of the preceding, and much superior plant. As it does not produce seed it has a much longer flowering | 1.50 | 10.00 |
| period. It will stand gentle forcing and is valuable as a cut flower. | 2.00 | 12.00 |
| ARENARIA montana. A trailing rock plant which becomes entirely | | |
| covered in May with large, glistening white flowers. | 2.00 | 12.00 |
| laricifolia. White flowers are freely borne on wiry stems. 6 inches. May-June. | 2.00 | 12.00 |
| ARMERIA maritima Laucheana. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. A second crop | | |
| of flowers sometimes borne in early fall. ARTEMISIA lactiflora. Fragrant Spiraea-like plumes of creamy white flowers are borne on stout erect | 1.25 | 8.00 |
| stems from August to October. 5-6 ft. | 1.50 | 10.00 |
| orange red flowers borne in clusters on strong stems. 2½ ft. July-September. | 1.50 | 10.00 |
| ASTER (Michaelmas Daisy. Starwort) As a plant of general usefulness the aster stands unrivaled. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually. Blue Gem. Bright blue flowers with three or four | | |
| rows of petals. 2 ft. August September. Climax. A universal favorite. If given good treatment the flowers attain to three inches in diameter, they are pale mauve with yellow centers, | 1.50 | 10.00 |
| and are borne on long slender stems. 5 to 6 ft. September-October. | 1.50 | 10.00 |

| | Per Doz. | Per 100 |
|---|------------|---------|
| Feltham Blue. Large clear blue flowers. 4ft. Sep- | 2 01 2 02. | 202 200 |
| tember. | 1.50 | 10.00 |
| John Wood. One of the oldest and still one of the | 1.00 | 10.00 |
| | | |
| | 1.50 | 10.00 |
| turn pure white with age. 3 1/2 ft. September. | 1.50 | 10.00 |
| Maggie Perry. Soft pink flowers borne in immense | 0.00 | 10.00 |
| trusses. 4 to 5 ft. September-October. | 2.00 | 12.00 |
| Perry's White. A very free flowering variety of | | |
| graceful habit. The flowers are large and of | | |
| good substance. Excellent for cutting. 4 to | | |
| 5 ft. September-October. | 2.00 | 12.00 |
| St. Egwyn. This variety forms a compact, symmet- | 2.00 | 12.00 |
| | | |
| rical bush, and during September is entirely | | |
| covered with large clear pink flowers. One of | | 10.00 |
| the best asters in cultivation. 2½ ft. | 1.50 | 10.00 |
| Wells' White. Stout erect stems bearing a profusion | | |
| of medium size flowers, creamy white in color. | | |
| 4 ft. August-September. | 1.50 | 10.00 |
| White Climax. A pure white variety of Climax. | 2.00 | 12.00 |
| N. A. Lil Fardel. Large clear pink flowers. 3 ft. | | |
| September-October. | 1.50 | 10.00 |
| ASTER, DWARF ALPINE | 1.00 | 10.00 |
| alpinus. Large bluish purple flowers. 9 inches. | | |
| May-June. | 1.50 | 10.00 |
| | 1.50 | 10.00 |
| aibus. A white variety of the foregoing. | 1.50 | 10.00 |
| subcoeruleus. Large violet-purple flowers freely borne | 4 70 | *** |
| on slender erect stems. 1 ft. June-July. | 1.50 | 10.00 |
| AUBRIETIA deltoidea. Raised from seed of named | | |
| varities of this species; various shades of plnk | | |
| and lavender. 6 inches. April-May. | 2.00 | 12.00 |
| BAPTISIA australis. (False Indigo) A first rate bor- der plant bearing sprays of dark indigo blue, | | |
| der plant bearing sprays of dark indigo blue. | | |
| lupine like flowers. The longer this plant re- | | |
| mains undisturbed the more effective it becomes | | |
| 2½ ft. June-July. | 1.50 | 10.00 |
| BOCCONIA cordata. A tall growing stately plant with | 1.00 | 10.00 |
| | | |
| handsome gray, glaucous foliage bearing pan- | | |
| icles of creamy white flowers. 7 to 8 ft. July- | 4 70 | 10.00 |
| August. | 1.50 | 10.00 |
| BOLTONIA | | |
| asteroides. A strong growing aster-like plant more | | |
| adapted for woodland planting than for the | | |
| border. White, 5 to 6 ft. August September | 1.50 | 10.00 |
| latisquama. Not so vigorous as the last. Pink flowers | | |
| 5 to 6 ft. September. | 1.50 | 10.00 |
| ' ' nana. A somewhat uncommon plant whose | | |
| beauty and usefulness are not sufficiently known | | |
| It forms a compact bush 3 feet in height, and in | | |
| September is smothered with dainty pink flow- | | |
| ers. An excellent border plant and invaluable | | |
| for autting | 0.00 | 10.00 |
| for cutting. | 2.00 | 12.00 |
| | | |
| bononiensis. Small blue flowers profusely borne on | | |
| numerous slender, graceful stems. 2½ ft. | | |
| June. | 2.00 | 12.00 |
| carpatica. Suitable for rock garden or border. Large | | |
| blue, cup shaped flowers during July and Aug- | | |
| ust. 1 ft. | 1.50 | 10.00 |
| " alba. A white variety of the preceding. | 1.50 | 10.00 |
| and brooms. | | |
| | | |

| | Per Doz. | Per 100 |
|--|---------------------|----------------|
| glomerata. Clusters of tubular violet-purple flowers borne on stout erect stems. 1½ ft. June-July. | 2.00 | 12.00 |
| grandis. Compact tufts of rich green foliage and | 2.00 | 12.00 |
| stems 2 to 3 ft. high, covered with flat pale blue | | |
| flowers. June-July. | 2.00 | 12.00 |
| flowers. June-July. "alba. A white variety of the above. Medium. (Canterbury Bell) Blue, pink, white, sep- | 2.00 | 12.00 |
| Medium. (Canterbury Bell) Blue, pink, white, separate. | 1.00 | 7.00 |
| " calycanthema. (Cup and Saucer) Mixed colors. | 1.00 | 7.00 |
| persicifolia. Slender erect stems studded with blue | | |
| cup-shaped flowers in June and July. 2½ ft. | 1.50 | 10.00 |
| " alba. A white variety of the above. rotundifolia. (Blue Bell) Blue cup shaped flowers | 1.50 | 10.00 |
| on wiry stems. 1 ft. June-July. | 1.50 | 10.00 |
| CARYOPTERIS mastacanthus. (Blue Spiraea) A com- | | |
| pact free flowering plant of sub-shrubby | | |
| growth; trusses of lavender flowers during | 2.00 | 19.00 |
| August and September. 2 to 3 ft. | 2.00 | 12.00 |
| CATANANCHE <pre>coeruleaA free flowering old fashioned plant; blue</pre> | | |
| flowers which last well when cut. 1½ ft. | | |
| June-August. | 1.25 | 8.00 |
| CENTAUREA | | |
| dealbata. Handsome deeply cut foliage, white on the under side; rose pink flowers. 2 ft. July | | |
| | 1 50 | 10.00 |
| September. macrocephala. A stately plant of robust habit, bearing | 1.50 | 10.00 |
| large globular heads of golden yellow flowers. | | |
| 4 to 5 ft. July-Augu.t. | 1.50 | 10.00 |
| montana. Woolly foliage and bright blue flowers. | | 40.00 |
| 1½ ft. June-July. " alba. A white variety of the preceding. | $\frac{1.50}{1.50}$ | 10.00 10.00 |
| | 1.50 | 10.00 |
| CEPHALARIA alpina. A tall graceful Scabiosa-like | | |
| plant bearing large golden yellow flowers on long stems. 4 to 5ft. | 2.00 | |
| CERASTIUM | 2.00 | |
| Biebersteinii. Forms a carpet of silvery foliage | | |
| covered in May and June with pure white | | |
| flowers. | 1.50 | 10.00 |
| tomentosum. Whiter foliage than that of the above | | |
| and not such a strong grower. This plant and the preceding are invaluable for the rock | | |
| garden. | 1.50 | 10.00 |
| CHELONE Lyoni. A very free flowering plant bearing | | |
| large deep pink Pentstemon-like flowers on | | |
| sturdy erect stems. 2 ft. July-September. | 1 50 | 10.00 |
| CHRYSANTHEMUM | | |
| maximum. (Shasta Daisy) A useful plant for cut- | | |
| ing, the large white daisy-like flowers are pro- | 4.05 | 0.00 |
| duced over a long period. 2 ft. June-Sept. | 1.25 | 8.00 |
| uliginosum. White flowers with green centers, on long straight stems. Good for cutting. 4 to | | |
| 5 ft. August-September. | 1.50 | 10.00 |
| COREOPSIS grandifloria. One of the best hardy plants | | |
| for cutting; bright yellow flowers are borne on | | |
| long graceful stems throughout the summer. | 1.00 | 7.00 |
| 2½ ft. | 1.00 | 7.00 |
| | | |

| HAMMONION HARDI FLANI NORSE | 17.1 | 9 |
|---|---------------------|------------------|
| CRUCIANELLA stylosa. A useful trailing plant for | Per Doz. | Per 100 |
| the rock garden bearing clusters of pink | 1 50 | 10.00 |
| flowers. June-July. DELPHINIUM | 1.50 | 10.00 |
| Belladonna. An invaluable plant for cutting; sky- blue flowers in great profusion from June until | | |
| frost. 2½ to 3 ft. formosum. A robust growing Larkspur having dark | 1.25 | 8.00 |
| blue flowers with white centers. 4 ft. June- | 1.50 | 10.00 |
| September. grandiflorum. (chinense) Gentian-blue flowers and | 1.50 | 10.00 |
| finely divided foliage. 1½ to 2 ft. June-October. | 1.25 | 8.00 |
| ' album. A white variety of the above. Mixed Hybrids. This mixture can be relied on to pro- | 1.25 | 8.00 |
| duce a large percentage of extremely good indi- | | |
| viduals, and is much superior to the ordinary mixed strain of Delphiniums. | 2.00 | 12.00 |
| DIANTHUS deltoides. (Maiden Pink) A trailing rock plant, | | |
| also useful for border edging. June-July. "albus. A white variety of the foregoing. | $\frac{1.50}{1.50}$ | $10.00 \\ 10.00$ |
| " Brilliant. A vivid crimson variety, the flowers are shown to great advantage against the dark | 2.00 | |
| green foliage. | 2.00 | 12.00 |
| latifolius atrococcineus fl. pl. Intense double crim- son flowers freely borne throughout summer. | | |
| 1 ft. plumarius. A first rate mixture, beautifully frilled | 1.25 | 8.00 |
| flowers. June-July. | 1.25 | 8.00 |
| DIELYTRA formosa. Dainty fern-like foliage and pink lyre-shaped flowers. 1 ft. May-August. | 1.50 | 10.00 |
| DIGITALIS gloxinaeflora. (Foxglove) Pink, purple, and white. Separate. | 1.00 | 7.00 |
| DRACOCEPHALUM Ruyschianum. Dense spikes of purplish-blue, tubular flowers. 1½ ft. June-Jul. | 2.00 | 12.00 |
| ECHINACEA purpurea. (Purple Coneflower) Large | | |
| pinkish-purple flowers. 4 to 5 ft. JulAug. ECHINOPS | 1.50 | 10.00 |
| Ritro. A strong plant with handsome foliage bearing globular heads of glistening blue flowers. 4 ft. | | |
| July-August. | 1.50 | 10.00 |
| ruthenicus. Heads of blue flowers on branching stems. 4 ft. July-August | 1.50 | 10.00 |
| sphaerocephalus. Heads f whitish gray flowers. 4 ft. 6 ft. August. | 1.50 | 10.00 |
| ERIGERON glaucus. Violet-blue flowers. 1 ft. May-June | 1.25 | 8.00 |
| speciosus. A free flowering and vigorous growing plant bearing medium size, purplish lilac flow- | 1.20 | · . |
| ers. First rate for cutting. 2½ ft. July- | | 40.00 |
| August. EULALIA gracillima. An ornamental grass having long, | 1.50 | 10.00 |
| narrow, recurved leaves with a white stripe down the center of each. 5 to 6 ft. Clumps. | 2.00 | 12.00 |
| EUPATORIUM coelestinum. Very free flowering and valuable for | | 12.00 |
| cutting. Masses of ageratum-like flowers from | | 40.00 |
| August to October. 1½ to 2 ft. | 1.50 | 10.00 |

| TANKIONION IMILDI ILMINI NOUSE | | |
|--|----------|---------|
| | Per Doz. | Per 100 |
| Fraseri. Feathery white flowers. July-September, | 4.50 | 40.00 |
| 2 ft. EUPHORBIA | 1.50 | 10.00 |
| corollata. The value of this plant for cutting is not | | |
| fully appreciated. It is well adapted for ship- | | |
| ping, and its small pure white flowers take | | |
| the place of Gypsophila paniculata when that | | |
| is past. Best results are obtained by allowing it to remain undisturbed several years. 1½ | | |
| to 2 ft. August-September. | 1.50 | 10.00 |
| polychroma. A conspicuous object in early spring. | | * |
| It has a bushy, much branched habit, each | | |
| branch bearing a head of bright yellow bracts. 2 ft. April. | 1.50 | 10.00 |
| FUNKIA undulata variegata. Creamy white and green | 1.00 | 10.00 |
| variegated leaves. 9 inches. | 1.50 | 10.00 |
| variegated leaves. 9 inches. GAILLARDIA grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous | | |
| gold to crimson. For furnishing a continuous | | |
| supply of cut flowers, this plant is unrivalled. 2 ft. June-October. | 1.00 | 7.00 |
| GALEGA officinalis. Clusters of fragrant, bluish lilac | 1.00 | 1.00 |
| flowers. An excellent plant for the retail | | |
| florist, but the flowers will not stand shipping. | 4 50 | 40.00 |
| 2½ ft. June-July. GERANIUM | 1.50 | 10.00 |
| sanguineum. Forms a thick mass of prostrate, wiry | | |
| stems, and bears a profusion of saucer shaped, | | |
| blood-red flowers. 1 ft. June-July. | 2.00 | 12.00 |
| " album. A white variety of th preceding. | 2.00 | |
| " lancastriense. A rare dwarf variety of the above. It forms a compact mat and bears | | |
| large, delicate pink flowers, veined with red. | | |
| 4 inches. June-July. | 3.00 | |
| GEUM | | |
| Lady Stratheden. A new variety similar in habit and growth to the well known Geum Mrs. Brad- | | |
| shaw, bearing large, old gold, double flowers. | | |
| 2 ft. May-June. | 2.50 | |
| Mrs. Bradshaw. One of the most striking of hardy | | |
| plants. Slender, branching stems are produced from tufts of handsome green foliage, and bear | | |
| large rich scarlet double flowers in great pro- | | |
| fusion. A first rate plant for cutting. 2 ft. | | |
| May-June. | 1.50 | 10.00 |
| GYPSOPHILA paniculata. Cloud-like masses of small | | |
| white flowers. One of the most popular plants | 1.05 | 0.00 |
| for cutting. 2 ft. July. | 1.25 | 8.00 |
| HELENIUM Autumnala Piventan Baauta Class vallow flowers | | |
| autumnale Riverton Beauty. Clear yellow flowers with black centers. 4 ft. August-September. | 2.00 | 12.00 |
| ' superbum. Yellow. 4 ft August-Septembter. | | 12.00 |
| Biglowi. Deep yellow flowers with black disk. 2 ft. | | |
| July-August. | 1.50 | 10.00 |
| Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July. | 1.50 | 10.00 |
| HELIANTHEMUM (Rock Rose) Dwarf evergreen | 1.00 | 10.00 |
| shrubs forming compact bushes. The flowers | | 1 = |
| are single and double and very varied in color | | |
| and resemble miniature roses. | | |

| ~ | | |
|---|----------|-------------------|
| | Per Doz. | Per 100 |
| Fireball. Brilliant scarlet, single. 9 inches. June. | | 12.00 |
| Fireball. Brilliant scarlet, single. 9 inches. June. Macranthum. Large single yellow. 6 inches. June. | 2.00 | 12.00 |
| Mrs Farla Double scarlet 9 inches June | 2.00 | 12.00 |
| Mrs. Earle. Double scarlet. 9 inches. June. Praecox. Soft yellow, single flowers. Silvery fol- | 2.00 | 12.00 |
| iage. 1 ft. June. | 2.00 | 12.00 |
| Di i di C. Vorre lance soft nink single | 2.00 | 12.00 |
| Rhodanthe Carneum. Very large, soft pink single | 0.00 | 10.00 |
| flowers, silvery foliage, 1 ft. June. | | **** 12.00 |
| HELIANTHUS orgyalis. Tail graceful stems bearing | 7 M. T. | |
| yellow flowers on long stacks nearly their entire | | |
| length. 6 to 8 ft. September. | 2.00 | |
| HELIOPSIS Pitcheriana. Golden yellow flowers through | | 'Y; |
| out the summer. 3 ft. | 1.50 | 10.00 |
| HELONIAS bullata. Rosettes of bright green foliage | | |
| which turn crimson in fall, and spikes of pink | | |
| flowers with conspicious blue anthers. Re- | | ; |
| quires a damp situation. 1 ft. June. | 2.00 | 12.00 |
| HEUCHERA | 2.00 | 12.00 |
| sanguinea. Innumerable slender stems bearing a pro- | - 1 | |
| | | |
| fusion of dazzling crimson, tubular flowers. | 2.00 | |
| Valuable for cutting. 2 ft. June-July. | | 12.00 |
| Choice Hybrids. A mixed strain varying from white | 4. | |
| to crimson, furnishing numerous striking | | |
| hues of color. 2 ft. June-July. | 2.00 | 12.00 |
| HIBISCUS (Mallow) | | |
| Marvel Mallows. Pink, red, white, crimson eye, mixed | 1.50 | 10.00 |
| HIERACIUM aurantiacum. A dwarf rock or border | | 21 |
| plant bearing large heads of rich orange color- | | |
| ed flowers. Good for cutting. 1½ ft. | | |
| | 1.50 | 10.00 |
| May-June | 1.00 | 10.00 |
| HOLLYHOCK Our double varieties, with the exception | | 1 |
| of Newport Pink, are Chater's celebrated strain, | 6.07 | |
| and may be confidently relied upon to come | | |
| true to color. | 73 | |
| Double Varieties. Apple Blossom, Crimson, Newport | | |
| Pink, Salmon Pink, Yellow, White | 1.25 | 8.00 |
| Single Mixed. | 1.25 | 8.00 |
| | | 0.00 |
| IBERIS (Candytuft) | ₩ 1° 5 | |
| sempervirens. An invaluable and popular spring | | |
| flowering plant of dwarf compact habit, bear- | | |
| ing masses of snow white flowers produced in | | |
| large trusses. 9 inches. April-May. | 1.50 | 10.00 |
| " Little Gem. A miniature variety of the above. | 2.00 | 12.00 |
| INULA ensifolia. Forms a compact, symmetrical bush | | |
| and in July is covered with bright yellow | | 1311 |
| flowers. 1 ft. | 1.50 | 10.00 |
| | 1.00 | 10.00 |
| IRIS | | |
| pumila cyanea. Violet-purple. 9 inches. May. | 1.25 | 8.00 |
| "The Bribe. Pure white. 9 inches. May. | 1.25 | 8.00 |
| LATHYRUS (Perennial Sweet Pea) | | |
| Latifolius alibus. A vigorous climber. White flowers | 1.50 | 10.00 |
| ".roseus. Pink. | 1.50 | 10.00 |
| 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1.00 | 10.00 |
| LAVANDULA | | y Village |
| vera. (Sweet Lavender) A popular and old-fashioned | | |
| plant with fragrant flowers and foliage. 11/2 | 4 0 | 40.00 |
| to 2 ft. July-August. | 1.50 | 10.00 |
| "Munstead. Variety. A dwarf compact form of | | |
| the above. Good for edging or rock garden. | | |
| 9 inches. July. | 2.50 | 15.00 |
| | | |

| 6 ITAMMONION MARDI I DANI MORSE. | 10.1 | |
|--|---------------------|---------|
| | Per Doz. | Per 100 |
| LEONTOPODIUM alpinum. (Edelweiss) White leaves | | |
| and small yellow flowers surrounded by star- | | |
| like heads of leaves clothed with a dense white | | |
| woolly substance. 6 inches. May-June. | 2.50 | 15.00 |
| LIATRIS scariosa. Slender stems covered in August and September with deep purple flowers. 2½ ft. | 1.50 | 10.00 |
| LINUM | 1.00 | 10.00 |
| perenne. A continuous succession of clouds of sap- | | |
| phire blue flowers throughout summer. 2 ft. | 1.25 | 8.00 |
| " album. A white variety of the preceding. | 1.25 | 8.00 |
| LUPINUS (Lupine) | | |
| polyphyllus. Strong spikes of deep blue pea shaped | | |
| flowers. 3 to 4 ft. July-August. | 1.50 | 10.00 |
| " albus. A white variety of the above. | 1.50 | 10.00 |
| 100cus. 11 pink variety. | 2.00 | 12.00 |
| LYCHNIS alpina. Compact cushions of rich green leaves, | | |
| studded in April and May with heads of pink | | |
| flowers. 6 inches | 1.50 | 10.00 |
| chalcedonica. (Jerusalem Cross) Strong, upright | | |
| stems bearing large flat heads of glowing scar- | | |
| let flowers. 2 to 3 ft. June-July. | 1.25 | 8.00 |
| " alba A white variety of the preceding. | 1.25 | 8.00 |
| Viscaria splendens fl. pl. Intense crimson-scarlet, | | |
| double flowers. Good for cutting; very effective in electric light. 1 ft. June. | 2.00 | 12.00 |
| LYSIMACHIA nummularia. A prostrate creeper studded | 2.00 | 12.00 |
| in spring with yellow flowers. A good plant | | |
| for quickly covering a damp, shady cpot. | 1.25 | 8.00 |
| LYTHRUM virgatum Rose Queen. A symmetrical | | |
| bush formed of numerous slender stems which | | |
| are thickly covered three-quarters of their length with rosy pink flowers. 3 to 4 ft. July- | | |
| September. | 2.00 | 12.00 |
| MALVA | 2.00 | 12.00 |
| moschata. (Musk Mallow) Forms a branching bush | | |
| about 2 ft. high and is covered throughout the | | |
| summer with delicate pink flowers, 1½ inches | | |
| in diameter. Slightly musk scented. Useful | 1 50 | 10.00 |
| for cutting. | $\frac{1.50}{1.50}$ | 10.00 |
| " alba. A pure white variety of the above. | 1.00 | 10.00 |
| Mussini. (Catmint) Silvery foliage and lavender | | |
| flowers. 1 ft. May-June. | 1.50 | 10.00 |
| NIEREMBERGIA rivularis. Large, pure white, cup- | | |
| shaped flowers covering a carpet of rich green | | |
| foliage. 3 inches. June-October. | 1.50 | 10.00 |
| PAPAVER | | |
| alpinum. A dainty little Alpine, native of the higher | | |
| Alps. It forms tufts of finely divided grayish | | |
| leaves, and throughout summer, produces numerous cup-shaped flowers of varying shades | | |
| of yellow, orange, pink, and white. 6 inches. | 2.50 | 15.00 |
| of yellow, orange, pink, and white. 6 inches. nudicaule Sunbeam. A much improved strain of | | |
| Iceland Poppies, containing many new shades | , | |
| of color. | 1.50 | 10.00 |
| orientale. Scarlet flowers. 2 to 3 ft. May-June. | 1.50 | 10.00 |
| " Mixed. A choice mixture raised from seed | 1 50 | 10.00 |
| of best named varieties. | 1.50 | 10.00 |
| | | |

| | Per Doz. | Per 100 |
|---|---------------------|--------------|
| PARDANTHUS sinensis. (Blackberry Lily) Bright | | |
| orange, lily-like flowers, with brown-purple | | |
| spots. followed by conspicuous black seeds re- | | |
| sembling blacgberries. 3 ft. July-August. | 1.25 | 8.00 |
| PENTSTEMON | 2 | 0.00 |
| barbatus Torreyi. Graceful, tapering stems, covered | | |
| with large tubular, scarlet flowers. 4 ft. June- | | |
| August. | 1.50 | 10.00 |
| Digitalis. White, tubular flowers with purple throat. | 1.00 | 10.00 |
| Good for cutting, 2 to 3 ft. June-July. | 1.50 | 10.00 |
| Good for cutting. 2 to 3 ft. June-July. glaber. Spikes of large flowers of varying shades | | |
| of blue. | 1.50 | 10.00 |
| ovatus. Thick leathery leaves and short spikes of | | |
| purple flowers. 1 ft. June-July. | 1.50 | 10.00 |
| pubescens. Handsome spikes of purple flowers. 21/2 | | |
| ft. July. | 1.50 | 10.00 |
| PHLOX | | |
| Albion. White with faint red eye, the whole flower | | |
| gives the impression of being pale pink. 2½ ft. | 1.25 | 8.00 |
| La Vogue. Rosy mauve. 2½ ft. Mrs. Jenkins Pure white, large trusses. 2½ ft. | 1.25 | 8.00 |
| Mrs. JenkinsPure white, large trusses. 2½ ft. | 1.25 | 8.00 |
| Rosenberg. Carmine-violet, with reddish eye. 2 ft. | 1.50 | 10.00 |
| Sunshine. Deep Rose. 2 ft. | 1.50 | 10.00 |
| Thor. Very large trusses of dazzling pink flowers. | 0.00 | |
| 2½ ft. | 2.00 | |
| suffruticosa Miss Lingard. A good variety for cutting, | | |
| pyramidal trusses of white flowers with faint | #: #A | 1000 |
| lilac eyes. 2½ ft. June-September. | 1.50 | 10.00 |
| PHLOX, Dwarf Varieties. | | |
| amoena. Compact tufts of glossy green foliage and | | |
| masses of vivid pink flowers in April and May. | - 05 | 0.00 |
| 9 inches. | 1.25 | 8.00 |
| carolina. Numerous slender stems, each terminating | | |
| in a cluster of deep rose flowers. 1 ft. May June. | 1.25 | 8.00 |
| subulata alba. (Moss Pink) Moss-like foliage cov- | 1.20 | 0.00 |
| | | |
| ered in April and May with sheets of white | | |
| ered in April and May with sheets of white | 1.25 | 8.00 |
| flowers. 6 inches. | $\frac{1.25}{1.25}$ | 8.00 8.00 |
| flowers. 6 inches. " rosea. A pink variety. | 1.25 1.25 | 8.00 8.00 |
| flowers: 6 inches. " rosea. A pink variety. PHYSALIS | | |
| flowers. 6 inches. "rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- | | |
| flowers. 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- | | |
| flowers. 6 inches. "rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- | | |
| flowers: 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. | 1.25 | 8.00 |
| flowers: 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. | 1.25 | 8.00 |
| flowers: 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA | 1.25 1.25 | 8.00 |
| flowers: 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. | 1.25 | 8.00 |
| flowers: 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. "alba. A white variety of the foregoing. | 1.25 1.25 | 8.00 |
| flowers: 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. alba. A white variety of the foregoing. grandiflora. A plant of recent introduction | 1.25 1.25 | 8.00 8.00 |
| flowers: 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. alba. A white variety of the foregoing. grandiflora. A plant of recent introduction and a most valuable acquisition. It produces | 1.25 1.25 | 8.00 8.00 |
| flowers: 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. alba. A white variety of the foregoing. grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. | 1.25 1.25 | 8.00 8.00 |
| flowers: 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. alba. A white variety of the foregoing. grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large brilliant pink | 1.25 1.25 | 8.00 8.00 |
| flowers. 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. alba. A white variety of the foregoing. grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large brilliant pink flowers, somewhat resembling a snapdragon in | 1.25 1.25 | 8.00 8.00 |
| flowers. 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. alba. A white variety of the foregoing. grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by | 1.25 1.25 | 8.00 8.00 |
| flowers. 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. alba. A white variety of the foregoing. grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by its being an addition to the very few late flow- | 1.25 1.25 | 8.00 8.00 |
| flowers. 6 inches. rosea. A pink variety. PHYSALIS Franchetti. (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2ft. October. PHYSOSTEGIA virginica. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August. alba. A white variety of the foregoing. grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by | 1.25 1.25 | 8.00 8.00 |

Grand Ferri

| TO HAMMONTON HARDT TEAMT NORSE. | IC I | |
|--|----------------|--------------|
| | Per Doz. P | er 100 |
| PINK, Hardy. A highly popular group of old fashioned | | |
| garden plants, esteemed for their extreme flor- | | |
| iferousness and delicious fragrance. 12 to | | |
| 15 inches. May-June. | 1 05 | 0 00 |
| Excelsior. Delicate rose pink. | $1.25 \\ 1.25$ | 8.00 |
| Her Majesty. Pure white, large flowers. Homer. Deep rose with darker center. | 1.25 | 8.00 8.00 |
| Juliette. White, laced crimson. | 1.25 | 8.00 |
| Lord Lyon. Deep Rose. | 1.25 | 8.00 |
| White Reserve. Pure white. | 1.25 | 8.00 |
| NO AMERICAN AND A TO THE N | 1.20 | 0.00 |
| grandiflorum. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. | | |
| slender stems. 2 ft. June-October. | 1.25 | 8.00 |
| " album. A white variety of the above. | 1.25 | 8.00 |
| LUMBAGO Larpentae. (Leadwort) Forms compact | 1.20 | 0.00 |
| tufts of innumerable wiry stems each one ter- | | |
| minating in a dense truss of cobalt blue flowers. | | |
| 1 ft. August-October. | 2.00 | 12.00 |
| POLEMONIUM | | |
| reptans. An attractive early spring flowering plant | | |
| bearing sprays of blue flowers on short stems. | | |
| 9 inches April-May | 1.50 | 10.00 |
| Richardsoni. Blue flowers with yellow centers. 1 | 1.00 | 10.00 |
| ft. June. | 1.50 | 10.00 |
| | | 10.00 |
| POTENTILLA Wil'mottaeA distinct and pretty rock plant with brilliant cherry red flowers. 6 in- | | |
| ches. June-August. | 2.00 | 12.00 |
| | | 12.00 |
| PRIMULA japonica, mixed. Compact rosettes of leaves | | |
| and spikes bearing whorls of flowers varying in | | |
| color from white to crimson purple. A damp | | |
| position is necessary for this plant. 1½ ft. | 9 50 | 15 00 |
| May. | 2.50 | 15.00 |
| PYRETHRUM | | |
| roseum. Daisy-like flowers varying in color from | | |
| white to crimson. Useful for cutting. 2 ft. | | 0.00 |
| June. | 1.25 | 8.00 |
| RANUNCULUS | | |
| acris fl. pl. Small double yellow flowers on branch- | • | |
| ing stems. Valuable for cutting. 1 to 1½ ft. | | 10.00 |
| April-May. | 1.50 | 10.00 |
| repens fl. pl. Similar to the preceding but having a | 1.50 | 10.00 |
| more spreading habit. 1 ft. April-May. RUDBECKIA | 1.00 | 10.00 |
| Golden Glow. Double, deep yellow flowers. 6 ft. July- | | |
| September. | 1.25 | 8.00 |
| Newmanni. (Black-eyed Susan) Yellow flowers | | 0.00 |
| with dark brown centers. 2 ft. July-August. | 1.25 | 8.00 |
| SALVIA | | 3.00 |
| argentea. The value of this plant lies in its large sil- | | |
| . very leaves. | 1.50 | 10.00 |
| azurea grandiflora. Tall straight stems covered for | | |
| half their length with sky-blue flowers. 4 to | | |
| 5 ft. August-October. | 1.25 | 8.00 |
| pratensis. Handsome spikes of blue flowers are con- | | 5.00 |
| tinuously produced throughout the summer. | | |
| 2 ft. | 1.50 | 10.00 |
| Sclarea. Large handsome leaves and spikes of pink | | 10.00 |
| and white flowers. 3 ft. July-August. | 1.50 | 10.00 |
| many manual and many and | 2.50 | _0.00 |
| | | |

| HAMIMONION HARDI FLANI NORS | ERI | 11 |
|---|--------------|-------|
| | Per Doz. Per | 100 |
| SANTOLINA incana. (Cotton Lavender) A compa | | |
| growing half shrubby plant with silvery for iage. 1 ft. | | 10.00 |
| SAPONARIA ocymoides. Quickly forms a spreading | | 10.00 |
| mass, smothered May and June with sma | 11 | |
| bright pink flowers. | | 12.00 |
| SAXIFRAGA cordifolia. A valuable, easily grow spring flowering plant. Large, han | n, d- | |
| some leaves and strong spikes of pink flower | S | |
| 1½ ft. April-May. | 2.00 1 | 2.00 |
| acre. A dwarf grower forming a thick carpet | ∖f | |
| green foliage which is completely covered with | | |
| yellow flowers in May. 6 inches | | 10.00 |
| album. Small succulent green leaves which become bronze in the fall. 6 inches. | 1.50 | 10.00 |
| lydium. Carpets of bright green foliage which turn | IS | |
| reddish bronze during summer. Masses of pir flowers. 4 inches. | | 10.00 |
| maximum purpureum. Thick purple leaves and head | ds | |
| of pink flowers. 2 ft. September-October. | 1.25 | 8.00 |
| sexangulare. Dwarf trailer, green foliage and yello flowers. June. | | 10.00 |
| spectabile. Erect, sturdy habit with broad glaucou | ıs | |
| leaves. The flowers are borne in large flowers heads and are rosy purple in color, they reta | at | |
| their beauty for two months. 1½ ft. Augus | t- | |
| September. | 1.25 | 8.00 |
| " atropurpureum. A deeper colored variety of the preceding, being a vivid amaranth red. | 1.25 | 8.00 |
| SENECIO Clivorum. Large handsome leaves and loos | | 0.00 |
| ly arranged heads of yellow flowers. Shou | ld | 1000 |
| have a moist position. 3 ft. July-Septembe SIDALCEA | r. 1.50 | 10.00 |
| candida. Pure white mallow-like flowers on slend | er - | |
| graceful stems. 2½ ft. July. | 2.00 | |
| SILENE alpestris. A dainty little rock plant of tufte habit, bearing masses of small white flower | | |
| 4 inches. May-June. | 2.00 | 12.00 |
| Rose Queen. Spikes of rich rosy purple flower 2½ ft. July-August. | | 12.00 |
| SPIRAEA | 2.00 | 12.00 |
| Filipendula. Loose clusters of creamy white flowe | | |
| tipped with red, borne on slender stems grow | W- | |
| ing from tufts of fern-like foliage. 1½ ft. | | 10.00 |
| STOKESIA cyanea. A showy plant with a lengthy flow | v- | |
| ering period, large blue flowers on somewhat straggling stems. 1½ ft. August-October. | at 1.50 1 | 10.00 |
| " alba. A white variety of the last. | | 10.00 |
| STATICE latifolla. (Sea Lavender) Branching flow | | |
| stems bearing countless small, blue purple flowers which retain their color long after being co | v- 1t | |
| and tried. Very good for cutting. 1½ to 2 f | t. | 10.00 |
| August-September. | 1.50 | 10.00 |

| 12 HAMMONION HARDI PLANI NU | | |
|---|----------|---------|
| CWEET WILLIAM | Per Doz. | Per 100 |
| SWEET WILLIAM Newport Pink. | 1.00 | 7.00 |
| Scarlet Beauty. | 1.00 | 7.00 |
| White. | 1.00 | 7.00 |
| THALICTRUM Maggaz of maiden hair like faliane | | |
| adiantifolium. Masses of maiden-hair like foliage Valuable for cutting. 1½ ft. | 1.50 | 10.00 |
| aquilegifolium. Handsome foliage and feathery plumes | | 10.00 |
| of white flowers. 2½ it. June-July. | 2.00 | 12.00 |
| purpureum. A lovely rose colored variety of the | 2.00 | 19.00 |
| preceding. THERMOPSIS | 2.00 | 12.00 |
| caroliniana. Grows into a large bush bearing sprays | 5 | |
| of clear yellow lupine-like flowers in great | ; | |
| profusion. 3 to 4 tt. July. | 1.50 | 10.00 |
| TIARELLA cordifolia. (Foam Flower) A quick growing plant of trailing habit. It bears little, creamy | | |
| white flowers, the buds being delicately tinged | | |
| with pink. A mass of flowers viewed form a | | |
| short distance has the appearance of a wreath of foam. 1 tt. May-June. | 1.50 | 10.00 |
| THYMUS | 1.50 | 10.00 |
| Serpyllum albus. A fragrant, creeping rock plant | | |
| quickly growing into dense carpet, which be | • | |
| comes covered with white flowers in June and July. | 1.50 | 10.00 |
| " coccineus. A scarlet flowered variety. | 1.50 | 10.00 |
| TRITOMA Pfitzeri. (Torch Lily) A very distinct | | |
| and handsome late flowering perennial; tufts | | |
| of grass-like foliage and thick fleshy stems covered with orange scarlet, tubular flowers. | | |
| 2 to 3 ft. September-October. | 2.00 | 12.00 |
| TUNICA Saxifraga. Tufts of grass-like foliage and | | |
| stems bearing small rosy pink flowers. 6 | | 10.00 |
| inches. July-September. VALERIANA officinalis. A strong growing and free | 1.50 | 10.00 |
| flowering plant bearing large heads of faint | | |
| pink fllowers. 3 to 4 ft. June-July | 1.50 | 10.00 |
| VERBASCUM Harkness' Hybrid. Spikes of yellow flow- ers. 3 ft. | 1.50 | 10.00 |
| VERONICA | 1.50 | 10.00 |
| incana. Compact masses of silvery gray foliage and | | |
| deep blue flowers. 1 ft. May-June. | 1.50 | 10.00 |
| rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and June | | |
| by myriads of clusters of deep blue flowers. | | |
| 6 inches. | 1.50 | 10.00 |
| spicata. Spikes of blue flowers. 2 ft. June-Aug. | 1.50 | 10.00 |
| subsessillis. Stout erect stems of intense blue flowers. 2 to 3 ft. July-August. | 2.00 | 12.00 |
| Teucrim. The stems form spreading masses, covered | | 12.00 |
| in May and June with dense racemes of bright | | 4000 |
| blue flowers. 1 ft. VIOLA cornuta Geo. Wermig. Rich purple. A free and | 1.50 | 10.00 |
| continuous bloomer. 6 inches. May-August. | 2.00 | 12.00 |
| pedata. Tufts of finely divided leaves and lilac blue | | |
| flowers. 6 inches. April-May. | 1.50 | 10.00 |

HAMMONTON PRINTING COMPANY

